

Handy Auto

Handy Auto Plus

HANDY AUTO Series

Portable Motorized Hand Torch

Features and Benefits

- **Motorized oxy fuel hand torch**
High quality cuts in both every positions, on horizontal plate, pipe, or on vertical surfaces.
- **All position drives**
Allows cutting in any position from any direction
- **Quick change attachments**
Single hand changeover
- **Light weight**
Easily operated like a hand torch
2.7 kg (Handy Auto)
3.5 kg (Handy Auto Plus)
- **Auto ignition** (Handy Auto Plus)
- **One click gas shutoff** (Handy Auto Plus)
- **Flame pre-set valves** (Handy Auto Plus)




Two models

Handy Auto

- Machine-line cutting results with hand torch handling
- Modular attachment system
- Tool-free attachment replacement
- Set of basic attachments included*

* Every KIT comes with a basic set of attachments to cut straight, bevel, and small circle.



Handy Auto Plus

Handy Auto with additional features

- Auto ignition
- One-click gas shutoff
- Flame pre-set valves
- Set of basic attachments included.



Optional accessories

Accessory	Stock #	Description
Large circle cutting attachment	30106	Cutting diameter 120~500 mm
Straight guide rail 500 mm	30104	Straight cutting guide rail
Battery pack	225.401.101A	
Large circle extension bar 530 mm	30132	Use with Large circle cutting attachment to increase cutting diameter to 1000 mm



Straight guide rail 500 mm



Large circle attachment

Type and Specification

Specification

	Handy Auto KIT	Handy Auto Plus KIT
Cutting thickness	5 ~ 30 mm	
Cutting speed	150 ~ 530 mm/min	
Speed control method	Transistor control	
Drive system	Friction drive	
Power source	AC 100 - 240V	
Input power	DC 12V	
Bevel wheel assembly bevel angle	22 ~ 45°	
Small circle attachment cutting diameter	Ø 30 ~ 120 mm	
Machine length	500 mm	525 mm
Weight	2.7 kg	3.5 kg
Auto ignition function	-	●
Pre-set valves	-	●
Flame shut-off function	-	●

● : possible

Types

Model	Stock #
Handy Auto KIT	90005
Handy Auto Plus KIT	90001

Scope of delivery

	Handy Auto KIT	Handy Auto Plus KIT
Scope of delivery	Machine body	
	Small circle attachment	
	Standard wheel assembly	
	Bevelling wheel assembly	
	Auxiliary wheel assembly	
	Guide lever	
	AC adaptor with cable	
	Cutting nozzles	
	Standard tool set	
	Steel carrying case	



KOIKE Portable Machines and Gas Equipment v.1.04 © 2016 Koike Europe B.V. Technical changes as well as errors and printing mistakes are reserved. 11/2016

Headquarter:

Koike Europe B.V.

Grote Tocht 19
1507 CG Zaandam
The Netherlands

Tel +31-(0)75 - 612 - 7227
Fax +31-(0)75 - 670 - 2271
info@koike-europe.com
www.koike-europe.com

Koike Europe B.V.

Germany Branch Office

Im Löchel 2
35423 Lich-Eberstadt
Deutschland

Tel +49-(0)6004 - 91 - 6930
Fax +49-(0)6004 - 91 - 6931- 01
info.germany@koike-europe.com
www.koike-europe.com

Koike France S.a.r.l.

Espace Mercure
Z.A.E. Les Dix Muids
59770 Marly
France

Tel +33-32730-4343
Fax +33-32730-1250
info@koike-europe.com
www.koike-europe.com

Koike Italia Srl

Via Papa Giovanni XXIII, n 45
20090 - RODANO (MILANO)
Italy

Tel +39-02953 - 28 - 717
Fax +39-02739 - 60 - 447
info@koike-europe.com
www.koike-europe.com

Koike Middle East FZE

SAIF Zone Sharjah-UAE
P.O. Box 122978
United Arab Emirates

Mobile +971561177615 /
+971566453803
Fax +9716-5312805
b.pandey@koike-europe.com
www.koike-europe.com